

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	0	@ad<"19980803" and (output\$4 with (single near2 channel) with (pstn or phonenumber or (phone adj line))) and demodulat \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:24
L6	10	@ad<"19980803" and "725"/\$.ccls. and (modulat \$3 with (select\$3 or chos \$3 or choos\$3) with channel) and (ptsn or (phone adj line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:29
L7	0	@ad<"19980803" and "725"/\$.ccls. and ((modulat\$3 with (select \$3 or chos\$3 or choos\$3) with channel) same (ptsn or (phone adj line)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:29
L8	13	@ad<"19980803" and "725"/\$.ccls. and (modulat \$3 with (request\$3 or select\$3 or chos\$3 or choos\$3) with channel) and (ptsn or (phone adj line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:33
L9	3	8 not 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:33
L10	0	@ad<"19980803" and (modulat\$3 with (request \$3 or select\$3 or chos\$3 or choos\$3) with channel with (ptsn or (phone adj line)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:34
L11	0	@ad<"19980803" and ((modulat\$3 or insert\$3) with (request\$3 or select \$3 or chos\$3 or choos\$3) with (channel or program \$4) with (ptsn or (phone adj line)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:35

L12	13	@ad<"19980803" and (iptv or (ip adj tv) or (ip adj television) or ((internet adj protocol) adj (tv or television)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:36
L13	10	@ad<"19980803" and (iptv or (ip adj tv) or (ip adj television) or ((internet adj protocol) adj (tv or television))) and (channel or request \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:39
L14	1	@ad<"19980803" and (iptv or (ip adj tv) or (ip adj television) or ((internet adj protocol) adj (tv or television))) and (channel with request \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:39
L15	1	@ad<"19980803" and (iptv or (ip adj tv) or (ip adj television) or ((internet adj protocol) adj (tv or television))) and (single adj channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:41
L16	9	@ad<"19980803" and (iptv or (ip adj tv) or (ip adj television) or ((internet adj protocol) adj (tv or television))) and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:42
L17	33	@ad<"19980803" and (request\$3 near3 (single adj channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 14:05
L18	0	@ad<"19980803" and (request\$3 near3 (single adj channel)) and (demodulat\$3 with input)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 14:07
L19	0	@ad<"19980803" and ((request\$3 near3 (single adj channel)) with (iptv or ip or internet or pstn or phone or telephone))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 14:08

L20	2	@ad<"19980803" and ((request\$3 near3 (single adj channel)) with (iptv or ip or internet or pstn or phone or telephone or network))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 14:08
L21	2	@ad<"19980803" and ((request\$3 near3 (single adj channel)) with (iptv or ip or internet or pstn or phone or telephone or network or intranet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 14:08
L22	0	@ad<"19980803" and ((request\$3 near3 (single adj channel)) with television)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 14:11
L23	0	@ad<"19980803" and ((request\$3 near3 (single adj channel)) same television)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 14:12
L24	1	@ad<"19980803" and ((request\$3 near3 (single adj channel)) same (television or tv))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 14:12
S1	6	"127963".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 10:32
S2	15	((("5130793") or ("5528283") or ("5528286") or ("5566232") or ("5574964") or ("5612730") or ("5613190") or ("5621455") or ("5633614") or ("5638426") or ("5673205") or ("5903372") or ("5905942") or ("5936660") or ("6088368"))).PN.	USPAT	OR	OFF	2005/10/12 09:59

S3	347	(725/112).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 07:13
S4	2	("6038425").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/08 10:45
S5	2	("6567981").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/08 10:45
S6	55	725/120.ccls. and (ip or (internet adj protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 17:04
S7	3	725/120.ccls. and (ip or (internet adj protocol)) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 17:06
S8	35	"725"/\$.ccls. and ((ip or (internet adj protocol)) with request\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 17:54
S9	36	"725"/99.ccls. and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 17:54
S10	9	"725"/99.ccls. and @ad<"19980803" and (ip or (internet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 17:57

S11	5	"725"/99.ccls. and @ad<"19980803" and (ip or (internet adj protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 17:59
S12	56	"725"/\$.ccls. and @ad<"19980803" and ((ip or (internet adj protocol)) same ((twisted adj pair) or (telephone)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 17:59
S13	2	"725"/\$.ccls. and @ad<"19980803" and ((ip or (internet adj protocol)) same ((twisted adj pair) or (telephone adj wire)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 18:01
S14	19	"725"/\$.ccls. and @ad<"19980803" and ((ip or (internet adj protocol)) same (pstn))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 18:06
S15	52	"725"/\$.ccls. and @ad<"19980803" and (demodulat\$3 with different with (format or signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 18:08
S16	27	"725"/\$.ccls. and @ad<"19980803" and (demodulat\$3 with (different near3 (format or signal)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 09:11
S17	0	"725"/\$.ccls. and @ad<"19980803" and (server with demodulat\$3 with (different near3 (format or signal)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 18:08
S18	0	"725"/\$.ccls. and @ad<"19980803" and (server with demodulat\$3 with different with (format or signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 18:08

S19	0	"725"/\$.ccls. and @ad<"19980803" and (headend with demodulat\$3 with different with (format or signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 18:08
S20	0	"725"/\$.ccls. and @ad<"19980803" and ((demodulat\$3 with (different near3 (format or signal))) same server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 18:09
S21	0	"725"/\$.ccls. and @ad<"19980803" and ((demodulat\$3 with (different near3 (format or signal))) same headend)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 18:09
S22	14	"725"/\$.ccls. and @ad<"19980803" and (((unused near3 ((twisted adj pair) or (telephone adj wire)) or (red near3 black)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 09:36
S23	88	@ad<"19980803" and (((unused near3 ((twisted adj pair) or (telephone adj wire)) or (red near3 black))) same (television or tv or catv))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 09:38
S24	31	@ad<"19980803" and (((unused near3 ((twisted adj pair) or (telephone adj wire)) or (red near3 black))) with (television or tv or catv))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 09:37
S25	1	@ad<"19980803" and (((unused near3 ((twisted adj pair) or (telephone adj wire)) )) same (television or tv or catv))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 09:39
S26	1	@ad<"19980803" and (((unused with ((twisted adj pair) or (telephone adj wire)) )) same (television or tv or catv))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 09:39

S27	96	725/78.ccls. and (joystick or (card adj reader) or keyboard or (bar adj code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 09:41
S28	33	725/78.ccls. and (joystick or (card adj reader) or keyboard or (bar adj code)) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 09:45
S29	1	725/78.ccls. and (computer with signal with demodulator) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 09:46
S30	1	725/78.ccls. and (computer with control with demodulator) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 09:49
S31	4	(equaliz\$3 with (high adj frequency)) same (increas\$3 with chroma) same (increas\$3 with (peak near2 peak) with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 10:16
S32	19	((rais\$3 or increas\$3) with (baseband or (base adj band))) same modulat\$3) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:08
S33	17	((rais\$3 or increas\$3) with (chroma)) same modulat\$3) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:04
S34	0	((rais\$3 or increas\$3) with (peak adj peak adj voltage)) same modulat\$3) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:05

S35	0	((rais\$3 or increas\$3) with (peak adj peak adj voltage)) ) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:05
S36	3	((rais\$3 or increas\$3) with (peak adj peak)) same modulat\$3) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:05
S37	13	((rais\$3 or increas\$3) with (baseband or (base adj band))) same demodulat\$3) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:17
S38	1	09/928332	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:09
S39	0	((rais\$3 or increas\$3) near1 (baseband or (base adj band))) same demodulat\$3) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:18
S40	1	((rais\$3 or increas\$3) near3 (baseband or (base adj band))) same demodulat\$3) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:14
S41	14	((rais\$3 or increas\$3) near2 (baseband or (base adj band))) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:22
S42	4	((rais\$3 or increas\$3) near1 (baseband or (base adj band))) same demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:20



S43	38	((rais\$3 or increas\$3) near3 (baseband or (base adj band))) same demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:20
S44	24	((rais\$3 or increas\$3) near2 (baseband or (base adj band))) same demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:20
S45	11	((rais\$3 or increas\$3) near2 (baseband or (base adj band))) with demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:20
S46	52	((rais\$3 or increas\$3) near2 (chroma))) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:22
S47	10	((rais\$3 or increas\$3) near2 (chroma)) same demodulat\$3) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:32
S48	257	((increas\$3 or rais\$3) near3 chroma) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:36
S49	5	((increas\$3 or rais\$3) near3 chroma) with demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:33
S50	22	((increas\$3 or rais\$3) near3 (peak adj peak adj voltage)) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:51

S51	0	((((increas\$3 or rais\$3) near3 (peak adj peak adj voltage)) with demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:38
S52	0	((((increas\$3 or rais\$3) near3 (peak adj peak adj voltage)) same demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:37
S53	0	((increas\$3 or rais\$3) near3 (peak adj peak adj voltage)) and demodulat\$3 and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:37
S54	0	((((increas\$3 or rais\$3) near3 (peak adj peak adj voltage)) with receiver) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:38
S55	0	((((increas\$3 or rais\$3) near3 (peak adj peak adj voltage)) with receiv\$) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:38
S56	2	((((increas\$3 or rais\$3) near3 (peak adj peak adj voltage)) with (input adj signal)) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:38
S57	411	((equaliz\$3) near3 (high adj frequency)) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:41
S58	4	((((equaliz\$3) near3 (high adj frequency)) with demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:42

S59	222	((increas\$3 or rais\$3) near3 (baseband or (base adj band))) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:51
S60	16	((increas\$3 or rais\$3) near3 (baseband or (base adj band)) with demodulat \$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:06
S61	38	((increas\$3 or rais\$3) near3 (baseband or (base adj band)) same demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:06
S62	22	S61 not S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:06
S63	1	"20020007490".pn. and (plurality with communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 12:32
S64	1	"20020007490".pn. and "150"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 12:37
S65	0	"20020007490".pn. and ("150" with "5")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 12:37
S66	0	"20020007490".pn. and ("150" with (psn or telephone) with coaxial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 12:38

S67	1	"20020007490".pn. and ("150" same (pstn or telephone) same coaxial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 12:38
S68	1	"725"/\$.ccls. and @ad<"19980803" and ((coax or coaxial) with (telephone or (twisted adj pair) or dsl or pstn) with (cat5 or (cagatory adj "5")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 12:43
S69	300	"725"/\$.ccls. and @ad<"19980803" and ((coax or coaxial) with (telephone or (twisted adj pair) or dsl or pstn))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 12:44
S70	76	"725"/86-104.ccls. and @ad<"19980803" and ((coax or coaxial) with (telephone or (twisted adj pair) or dsl or pstn))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 12:45
S71	4	"725"/86-104.ccls. and @ad<"19980803" and ((coax or coaxial) with (telephone or (twisted adj pair) or dsl or pstn) with output\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 12:45
S72	3	"725"/86-104.ccls. and @ad<"19980803" and ((coax or coaxial) with (telephone or (twisted adj pair) or dsl or pstn) with modulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 12:48
S73	12	"725"/86-104.ccls. and @ad<"19980803" and ((coax or coaxial) with (telephone or (twisted adj pair) or dsl or pstn) with rout\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 12:51
S74	21	"725"/86-104.ccls. and @ad<"19980803" and ((coax or coaxial) with (telephone or (twisted adj pair) or dsl or pstn) with (rout\$3 or switch\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 12:51

S75	2	"725"/86-104.ccls. and @ad<"19980803" and ((coax or coaxial) with (telephone or (twisted adj pair) or dsl or pstn) with (select\$3 or choos\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 13:07
S76	0	@ad<"19980803" and (ouput\$4 with (single near2 channel)) and (demodulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:38
S77	0	@ad<"19980803" and (ouput\$4 with channel with (pstn or phoneline or (phone adj line))) and (demodulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:39
S78	0	@ad<"19980803" and (ouput\$4 with channel with (pstn or phoneline or (phone adj line)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:39
S79	33	@ad<"19980803" and (output\$4 with channel with (pstn or phoneline or (phone adj line)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:39
S80	14	@ad<"19980803" and (output\$4 with channel with (pstn or phoneline or (phone adj line))) and demodulat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:39
S81	0	@ad<"19980803" and (output\$4 with (single near2 channel) with (pstn or phoneline or (phone adj line))) and demodulat \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:39
S82	0	@ad<"19980803" and (output\$4 with single with channel with (pstn or phoneline or (phone adj line))) and demodulat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:40

S83	0	@ad<"19980803" and (output\$4 with channel with (pstn or phoneline or (phone adj line))) and (demodulat\$3 near3 source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:40
S84	1	@ad<"19980803" and (output\$4 with channel with (pstn or phoneline or (phone adj line))) and (demodulat\$3 with source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:40
S85	0	@ad<"19980803" and (output\$4 with channel with (pstn or phoneline or (phone adj line))) and (demodulat\$3 with (tv or television) with cable with satellite)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:41
S86	0	@ad<"19980803" and (output\$4 with channel with (pstn or phoneline or (phone adj line))) and (demodulat\$3 with (tv or television))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:42
S87	0	@ad<"19980803" and (output\$4 with channel with (pstn or phoneline or (phone adj line))) and (remodulat\$3 with (tv or television) with cable with satellite)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:42
S88	0	@ad<"19980803" and (output\$4 with channel with (pstn or phoneline or (phone adj line))) and (remodulat\$3 with (tv or television))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:43
S89	14	@ad<"19980803" and (output\$4 with channel with (pstn or phoneline or (phone adj line))) and (demodulat\$3 same (modulat\$3 or remodulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:43
S90	9	@ad<"19980803" and "725"/\$.ccls. and (output \$4 with (single near3 channel) with (modulat\$3 or remodulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:47

S91	4	@ad<"19980803" and "725"/\$.ccls. and (output \$4 with (single near3 channel) with (modulat\$3 or remodulat\$3)) and (pstn or phoneline or (phone adj line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:47
S92	0	@ad<"19980803" and "725"/\$.ccls. and (output \$4 with (single near3 channel) with (modulat\$3 or remodulat\$3)) and (demodulat\$3 with source with cable with satellite)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:50
S93	4	@ad<"19980803" and "725"/\$.ccls. and (output \$4 with (single near3 channel) with (modulat\$3 or remodulat\$3)) and (demodulat\$3 with (source or cable or satellite))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:50
S94	4	S90 not (S91 or S93)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:52

7/ 16/ 2009 2:45:32 PM

C:\ Documents and Settings\ jshepard\ My Documents\ EAST\ Workspaces\ cont\_09928332.  
wsp